

# Rain Gardens and Bioswales: Sustainable Solutions for Urban Resilience

Shreyas Pande<sup>1</sup>, Dr Munna Verma<sup>2</sup>, Dr Prashant Kumar Gangwar<sup>3</sup>

<sup>1</sup>Research Scholar, Civil Engineering, Bhagwant University, Ajmer, Rajasthan

<sup>2</sup>Associate Professor, Bhagwant University, Ajmer Rajasthan

<sup>3</sup>Assistant Professor, Woldia University, Ethiopia, East Africa

**Abstract:** *Urbanization has brought about numerous environmental challenges, particularly in the management of stormwater runoff. In response to these challenges, rain gardens and bioswales have emerged as effective and sustainable solutions for promoting urban resilience. Rain gardens are shallow depressions filled with native vegetation strategically placed to capture and absorb rainwater runoff from impervious surfaces such as rooftops and driveways. Bioswales, on the other hand, are linear, vegetated channels designed to convey, treat, and attenuate stormwater runoff. Both rain gardens and bioswales help mitigate the impacts of stormwater by reducing flooding, enhancing biodiversity, and improving water quality. This abstract highlight the importance of rain gardens and bioswales in urban resilience and outlines their design principles, benefits, installation process, maintenance practices, and integration into urban planning. By incorporating these green infrastructure practices into urban landscapes, cities can build resilience to environmental challenges and create healthier, more sustainable communities.*

**Keywords:** Rain gardens, Bioswales, Urban resilience, Stormwater management, green infrastructure.

## I. INTRODUCTION

Rain gardens and bioswales are two nature-based solutions designed to manage stormwater runoff in urban environments, offering sustainable alternatives to traditional drainage systems.

### Rain Gardens


Rain gardens are shallow depressions filled with native plants and soil, strategically placed to capture, absorb, and filter stormwater runoff from impervious surfaces like rooftops, driveways, and sidewalks. The concept behind rain gardens is to mimic natural hydrological processes, allowing water to infiltrate into the ground rather than flowing directly into storm drains or waterways. Research by Li et al. (2018) provides insights into the design and functionality of rain gardens, emphasizing their effectiveness in reducing stormwater runoff volume and improving water quality. By incorporating native vegetation with deep roots, rain gardens enhance soil infiltration and help remove pollutants, such as sediment, nutrients, and heavy metals, from the runoff.

Moreover, rain gardens offer additional benefits beyond stormwater management. According to Mac Rae and Scott (2017), they enhance biodiversity by providing habitat for native plants and wildlife, support pollinator populations, and contribute to urban greening efforts.

### Bioswales

Bioswales, also known as vegetated swales or biofiltration basins, are linear landscape features designed to convey, treat, and infiltrate stormwater runoff. Similar to rain gardens, bioswales utilize vegetation, soil, and engineered materials to capture and filter runoff before it enters the stormwater system. Fletcher et al. (2019) discuss the evolution and application of bioswales in urban drainage systems, highlighting their role in reducing peak flows, attenuating pollutants, and enhancing groundwater recharge. By incorporating a combination of vegetation and engineered soils, bioswales provide effective filtration and pollutant removal, improving water quality and reducing the risk of downstream flooding. Furthermore, bioswales contribute to urban aesthetics and green space development. Studies by

Smith and Pitt (2021) demonstrate the potential of bioswales to enhance the visual appeal of streetscapes, create habitat for wildlife, and promote community engagement through volunteer stewardship programs.



**Fig. 1: Rain Garden and Bioswale.**

Rain gardens and bioswales serve as integral components of green infrastructure, offering environmentally sustainable solutions to urban stormwater management. Their design and implementation are guided by principles aimed at mimicking natural hydrological processes while enhancing biodiversity and community well-being.

Rain gardens, with their shallow depressions and native plantings, serve as microcosms of natural ecosystems, facilitating infiltration and filtration of stormwater. Li et al. (2018) emphasize the importance of selecting appropriate plant species with deep root systems to maximize water absorption and pollutant removal. Additionally, Mac Rae and Scott (2017) highlight the role of rain gardens in providing habitat for local wildlife, supporting biodiversity, and improving urban aesthetics.

On the other hand, bioswales, characterized by their gently sloping channels and engineered soils, are designed to convey, treat, and infiltrate stormwater runoff along streets and roadways. Fletcher et al. (2019) discuss the evolution of bioswales in urban drainage systems, noting their effectiveness in reducing peak flows and attenuating pollutants. Furthermore, Smith and Pitt (2021) underscore the potential of bioswales to enhance the visual appeal of urban streetscapes and create opportunities for community engagement through stewardship programs.

Both rain gardens and bioswales play critical roles in mitigating the adverse impacts of urbanization on water quality and quantity. They offer cost-effective alternatives to traditional stormwater infrastructure, reduce the burden on municipal treatment facilities, and promote water sustainability in urban areas.

### Benefits

Rain gardens and bioswales offer a range of benefits that make them valuable components of urban stormwater management. These benefits encompass environmental, social, and economic aspects, contributing to the overall sustainability of urban areas.

**Stormwater Management:** Rain gardens and bioswales help mitigate the impacts of urbanization on stormwater runoff by capturing, infiltrating, and filtering runoff from impervious surfaces. According to Li et al. (2018), rain gardens and bioswales effectively reduce the volume and velocity of stormwater, thereby decreasing the risk of flooding and erosion in urban areas.

**Water Quality Improvement:** By filtering out pollutants such as sediment, nutrients, and heavy metals, rain gardens and bioswales enhance water quality in urban water bodies. Smith and Pitt (2021) emphasize the role of bioswales in removing pollutants from stormwater runoff, thereby improving the overall health of aquatic ecosystems.

**Biodiversity Enhancement:** Rain gardens and bioswales provide habitat for native vegetation, birds, insects, and other wildlife, thus promoting biodiversity in urban environments. Mac Rae and Scott (2017) highlight the importance of rain gardens in supporting pollinator populations and creating habitat for local wildlife species.

**Urban Aesthetics:**Incorporating rain gardens and bioswales into urban landscapes enhances visual appeal and creates aesthetically pleasing green spaces.Smith and Pitt (2021) discuss how bioswales contribute to streetscape beautification, improving the overall quality of urban environments.

**Community Engagement:**Rain gardens and bioswales provide opportunities for community involvement through volunteer stewardship programs and educational initiatives.Fletcher et al. (2019) notes that community engagement in the planning and maintenance of bioswales fosters a sense of ownership and stewardship of local green spaces.

**Cost Savings:**Implementing rain gardens and bioswales can lead to cost savings compared to traditional stormwater management infrastructure.Galbraith et al. (2020) highlight the economic benefits of green infrastructure, including reduced maintenance costs and avoided expenses associated with stormwater treatment.

**Designing Rain Gardens and Bioswales:** Designing effective rain gardens and bioswales involves careful consideration of various factors, including site conditions, hydrology, vegetation selection, and maintenance requirements. Utilizing best practices and scientific principles ensures that these green infrastructure features function optimally in managing stormwater runoff and enhancing urban environments. Here's an overview of key aspects of designing rain gardens and bioswales.

**1. Site Assessment:** Before designing rain gardens and bioswales, conducting a thorough site assessment is crucial to ensure their effectiveness and compatibility with the surrounding environment. Site assessment involves evaluating various factors such as topography, soil conditions, hydrology, vegetation, and human activities

a. **Topography:**Assessing the topography of the site helps determine the slope, drainage patterns, and potential areas for water accumulation.According to Mac Rae and Scott (2017), selecting sites with gentle slopes helps facilitate water infiltration and minimizes erosion risks.

b. **Soil Conditions:**Soil permeability and texture play a significant role in determining the infiltration capacity of rain gardens and bioswales.Li et al. (2018) emphasize the importance of conducting soil tests to assess infiltration rates and identify any soil limitations that may affect the performance of these features.

c. **Hydrology:**Understanding the site's hydrological characteristics, including rainfall patterns, surface runoff, and groundwater levels, informs the design and sizing of rain gardens and bioswales.Fletcher et al. (2019) discuss the need to consider both peak flows and base flows in hydrological assessments to ensure proper drainage and water management.

d. **Vegetation:**Assessing existing vegetation helps determine opportunities for integrating native plant species into rain garden and bioswale designs.Mac Rae and Scott (2017) highlight the importance of selecting vegetation that is adapted to local climate conditions and capable of withstanding periodic inundation.

e. **Human Activities:**Identifying nearby sources of pollution, such as roads, parking lots, or industrial facilities, is essential to minimize potential contaminants entering rain gardens and bioswales.Smith and Pitt (2021) stress the need to consider land use activities and potential sources of pollution during site assessment to protect water quality and ecosystem health.



**Fig. 2: Build a Rain Garden and Bioswale**

By conducting a comprehensive site assessment, designers and planners can identify suitable locations and tailor rain garden and bioswale designs to the specific site conditions. This proactive approach ensures that these green infrastructure features function effectively, provide multiple benefits, and contribute to overall sustainability and resilience in urban environments.

**2. Sizing and Shape:** The sizing and shape of rain gardens and bioswales are critical factors that influence their effectiveness in managing stormwater runoff and improving water quality. Properly sizing and shaping these features ensure optimal functionality and compatibility with site conditions. Let's explore the key considerations for sizing and shape.

a. Sizing: The size of rain gardens and bioswales should be determined based on the amount of stormwater runoff they are expected to capture and treat. According to Li et al. (2018), sizing calculations typically consider factors such as impervious surface area, rainfall intensity, soil infiltration rates, and desired treatment goals. Fletcher et al. (2019) emphasize the importance of designing rain gardens and bioswales with adequate storage capacity to accommodate runoff from frequent rainfall events while preventing overflow during larger storm events.

b. Shape: The shape of rain gardens and bioswales should be designed to maximize water retention, infiltration, and pollutant removal. Mac Rae and Scott (2017) suggest that irregular shapes with gently sloping sides are preferable for rain gardens, as they promote uniform distribution of water and encourage plant establishment. Smith and Pitt (2021) discuss the benefits of incorporating meandering shapes and berms in bioswales to increase hydraulic residence time and enhance pollutant removal efficiency.

### **3. Soil Preparation**

Soil preparation is a crucial step in the design and construction of rain gardens and bioswales, as it directly impacts the infiltration capacity, nutrient availability, and overall health of these green infrastructure features. Proper soil preparation ensures optimal performance and longevity of rain gardens and bioswales. Let's explore the key considerations for soil preparation

a. Soil Testing: Before soil preparation begins, it is essential to conduct soil tests to assess properties such as texture, compaction, pH, nutrient levels, and infiltration rates. Mac Rae and Scott (2017) emphasize the importance of soil testing to determine soil characteristics and identify any amendments needed to improve infiltration and drainage in rain gardens and bioswales.

b. Soil Amendment: Based on soil test results, amendments such as compost, organic matter, and sand may be added to improve soil structure, fertility, and drainage. According to Li et al. (2018), incorporating organic amendments enhances soil porosity and water-holding capacity, promoting plant growth and enhancing pollutant removal in rain gardens and bioswales.

c. Compaction Reduction: Compacted soils inhibit water infiltration and root penetration, compromising the performance of rain gardens and bioswales. Smith and Pitt (2021) recommend aerating compacted soils and incorporating soil amendments to reduce compaction and improve soil porosity, thereby enhancing infiltration rates and overall water management capacity.

d. Mulching: Applying mulch to the soil surface helps conserve moisture, suppress weed growth, and protect soil from erosion. Fletcher et al. (2019) discuss the benefits of using organic mulch in rain gardens and bioswales to promote soil moisture retention, enhance microbial activity, and improve overall soil health.

e. Erosion Control: Soil erosion can undermine the stability and functionality of rain gardens and bioswales, particularly during heavy rainfall events. Mac Rae and Scott (2017) suggest incorporating erosion control measures such as erosion blankets or geotextiles to stabilize soil surfaces and prevent erosion in newly established rain gardens and bioswales.

**4. Vegetation Selection:** Choosing appropriate vegetation is a critical aspect of designing rain gardens and bioswales, as it directly influences their performance in managing stormwater runoff, enhancing biodiversity, and improving overall aesthetics. Selecting native plants adapted to local climate conditions ensures the resilience and sustainability of these green infrastructure features. Let's explore the key considerations for vegetation selection.

- a. **Native Plant Species:** Native plants are well-suited to local climate, soil, and hydrological conditions, making them ideal choices for rain gardens and bioswales. Mac Rae and Scott (2017) emphasize the importance of selecting native plant species with deep root systems to enhance soil stability, water infiltration, and pollutant removal in these green infrastructure features.
- b. **Water Tolerance:** Vegetation selected for rain gardens and bioswales should exhibit tolerance to periodic inundation and drought conditions. Smith and Pitt (2021) discuss the importance of choosing water-tolerant species capable of withstanding both wet and dry conditions, thereby ensuring plant survival and ecosystem function in rain gardens and bioswales.
- c. **Pollinator-Friendly Plants:** Incorporating pollinator-friendly plants into rain gardens and bioswales promotes biodiversity and supports local pollinator populations. Li et al. (2018) highlights the role of rain gardens in providing habitat for pollinators and recommend selecting flowering plants that attract bees, butterflies, and other pollinating insects.
- d. **Erosion Control:** Vegetation with dense root systems helps stabilize soil and prevent erosion in rain gardens and bioswales, particularly on sloping sites. Fletcher et al. (2019) suggests incorporating grasses, sedges, and other groundcover plants with fibrous roots to minimize soil erosion and enhance soil structure in these green infrastructure features.
- e. **Low Maintenance Requirements:** Choosing low-maintenance plant species reduces the need for irrigation, fertilization, and pest control in rain gardens and bioswales, making them more sustainable and cost-effective to maintain. Mac Rae and Scott (2017) recommend selecting native plants with minimal maintenance requirements to ensure long-term success and viability of rain gardens and bioswales.

**5. Maintenance Requirements:** Proper maintenance is essential to ensure the long-term functionality and effectiveness of rain gardens and bioswales in managing stormwater runoff and improving water quality. Regular maintenance activities help preserve vegetation health, prevent erosion, and ensure optimal infiltration and pollutant removal.

- a. **Vegetation Management:** Regularly inspect vegetation for signs of stress, disease, or invasive species encroachment. Prune overgrown vegetation to maintain appropriate plant densities and prevent shading of lower layers. Replace dead or declining plants as needed to maintain biodiversity and ecosystem function.
- b. **Weed Control:** Monitor for weed growth and manually remove weeds to prevent competition with native vegetation. Apply mulch or weed barriers to suppress weed growth and conserve soil moisture. Consider using herbicides sparingly and in accordance with local regulations to control persistent weed species.
- c. **Soil Maintenance:** Monitor soil moisture levels and supplement irrigation during dry periods to support plant growth and infiltration. Add organic mulch periodically to replenish nutrients, conserve soil moisture, and suppress weed growth. Conduct soil tests periodically to assess nutrient levels and pH, and amend soil as needed to maintain optimal conditions for plant growth.
- d. **Erosion Control:** Inspect rain gardens and bioswales for signs of erosion, particularly during heavy rainfall events. Repair eroded areas promptly by reinforcing soil surfaces with erosion control measures such as erosion blankets or geotextiles. Plant additional vegetation or install check dams as needed to stabilize soil and prevent further erosion.
- e. **Trash and Debris Removal:** Regularly remove accumulated trash, litter, and debris from rain gardens and bioswales to prevent clogging of drainage channels and impede water flow. Dispose of collected debris properly and recycle materials whenever possible to minimize environmental impact.
- f. **Monitoring and Reporting:** Establish a routine schedule for monitoring and documenting maintenance activities, including vegetation health, weed control, soil conditions, and erosion control measures. Keep detailed records of maintenance activities, observations, and any issues encountered for future reference and reporting purposes.

**Case Studies:** Pune, Maharashtra: Aundh-Baner-Balewadi (ABB) Corridor

The Aundh-Baner-Balewadi (ABB) Corridor in Pune, Maharashtra, serves as a notable example of integrating rain gardens and bioswales into urban stormwater management strategies. This corridor, located in the western part of Pune,

experiences rapid urbanization and faces challenges related to stormwater runoff and flooding during the monsoon season. The implementation of rain gardens and bioswales along this corridor exemplifies the city's commitment to sustainable development and resilience to climate change impacts.

**Project Overview of Pune, Maharashtra: Aundh-Baner-Balewadi (ABB) Corridor:**The Aundh-Baner-Balewadi (ABB) Corridor project aims to address stormwater management challenges through the incorporation of green infrastructure features such as rain gardens and bioswales. These features are strategically designed and implemented along roadways, open spaces, and commercial areas to intercept, infiltrate, and treat stormwater runoff before it enters the drainage system.

**Implementation Details of Pune, Maharashtra: Aundh-Baner-Balewadi (ABB) Corridor:**The Pune Municipal Corporation (PMC), in collaboration with local stakeholders and NGOs, initiated the design and implementation of rain gardens and bioswales along the ABB Corridor. Rain gardens are constructed using native plants and engineered soils that promote infiltration and pollutant removal. Bioswales, which are vegetated channels designed to convey and treat stormwater, are integrated into roadside landscapes. The project involved extensive community engagement and participation to raise awareness about the importance of green infrastructure and encourage public support for the initiative.

**Performance Assessment of Pune, Maharashtra: Aundh-Baner-Balewadi (ABB) Corridor:**The performance of rain gardens and bioswales along the ABB Corridor has been evaluated through monitoring and assessment studies conducted by the Pune Municipal Corporation. These studies assess the effectiveness of green infrastructure features in reducing stormwater runoff volumes, mitigating localized flooding, and improving water quality in nearby water bodies. Findings from performance assessments contribute to ongoing adaptive management efforts, guiding maintenance practices and informing future green infrastructure projects in Pune.

**Lessons Learned:**The Aundh-Baner-Balewadi (ABB) Corridor project underscores the importance of collaboration between government agencies, local communities, and NGOs in implementing green infrastructure initiatives. Lessons learned from this project, including design considerations, community engagement strategies, and performance monitoring protocols, can inform similar efforts in other urban areas facing stormwater management challenges.

**Community Benefits:**The integration of rain gardens and bioswales along the ABB Corridor not only enhances stormwater management but also provides additional benefits to the local community. Green spaces created by these features offer recreational opportunities, improve air quality, and enhance the aesthetic appeal of the urban environment. Community involvement in the planning and maintenance of rain gardens and bioswales fosters a sense of ownership and stewardship among residents, leading to greater support for sustainable urban development initiatives.

**Challenges and Solutions:**Despite the success of the ABB Corridor project, several challenges have been encountered during implementation. These challenges include land acquisition issues, funding constraints, and technical complexities associated with retrofitting green infrastructure into existing urban environments. To address these challenges, the Pune Municipal Corporation has adopted a multi-stakeholder approach, leveraging partnerships with government agencies, private sector entities, and community organizations to overcome barriers and ensure project success.

**Future Directions of Pune, Maharashtra: Aundh-Baner-Balewadi (ABB) Corridor:**The Aundh-Baner-Balewadi (ABB) Corridor project serves as a model for sustainable urban development and green infrastructure implementation in Pune. Moving forward, the PMC plans to replicate and scale up the success of this project in other parts of the city, leveraging lessons learned and best practices identified during the implementation process. Additionally, the PMC is exploring innovative financing mechanisms and incentive programs to encourage greater participation from private landowners and developers in integrating green infrastructure into urban planning and development projects.

**Conclusion of Pune, Maharashtra: Aundh-Baner-Balewadi (ABB) Corridor:**The Aundh-Baner-Balewadi (ABB) Corridor project exemplifies Pune's commitment to sustainable urban development and resilience to climate change impacts. By integrating rain gardens and bioswales into urban landscapes, the city is not only addressing stormwater management challenges but also creating vibrant, healthy, and resilient communities for current and future generations. Continued investment in green infrastructure and collaborative efforts between government agencies,

community stakeholders, and the private sector will be essential in achieving Pune's vision of a sustainable and livable city.

Challenges and Future Outlook: Rain gardens and bioswales represent innovative solutions for managing stormwater runoff in urban environments. However, their implementation faces several challenges, while their future outlook presents opportunities for advancement and wider adoption.

**Challenges:**

a. Limited Space and Urbanization: As cities expand, finding adequate space for rain gardens and bioswales becomes increasingly challenging. A study by Beattie et al. (2019) highlights the importance of integrating green infrastructure into urban planning to overcome spatial constraints.

b. Soil Contamination: Soil contamination can hinder the effectiveness of rain gardens and bioswales in filtering pollutants. Research by Roy et al. (2017) emphasizes the need for soil testing and remediation strategies to address contamination issues.

c. Maintenance Requirements:

Ensuring the long-term functionality of rain gardens and bioswales requires regular maintenance. According to a report by the Environmental Protection Agency (EPA, 2020), proper maintenance practices are essential for maximizing the performance and lifespan of green infrastructure.

**Future Outlook:**

a. Technological Advancements: Advancements in technology offer opportunities to enhance the efficiency and effectiveness of rain gardens and bioswales. Research by Smith et al. (2020) explores the potential of sensor-based monitoring systems for optimizing maintenance and performance.

b. Policy and Regulation Changes: Changes in policies and regulations can promote the widespread adoption of rain gardens and bioswales. For example, initiatives such as the Clean Water Act in the United States incentivize the use of green infrastructure for stormwater management (U.S. EPA, 2021).

c. Integration with Sustainable Development Goals: Integrating rain gardens and bioswales into broader sustainability initiatives can drive their future development. The United Nations Sustainable Development Goals (SDGs) emphasize the importance of green infrastructure for achieving objectives related to water quality, climate resilience, and biodiversity conservation (UN, 2021).

**II. CONCLUSION**

In conclusion, rain gardens and bioswales offer promising solutions for managing stormwater runoff in urban environments. These green infrastructure practices play a crucial role in mitigating the adverse effects of urbanization on water quality and quantity. By capturing, filtering, and absorbing stormwater, rain gardens and bioswales help reduce flooding, prevent soil erosion, and replenish groundwater reserves. Despite facing challenges such as limited space, soil contamination, and maintenance requirements, the benefits of rain gardens and bioswales outweigh the obstacles. Through effective planning, implementation, and maintenance, communities can harness the full potential of these sustainable stormwater management techniques. Furthermore, the future outlook for rain gardens and bioswales is optimistic. Continued research and innovation in green infrastructure technology promise to enhance the efficiency and effectiveness of these systems. Additionally, supportive policies and regulations can incentivize the widespread adoption of rain gardens and bioswales, further accelerating their integration into urban landscapes. Overall, rain gardens and bioswales represent not only practical solutions for stormwater management but also symbols of sustainable urban development. By prioritizing the incorporation of green infrastructure into urban planning and development strategies, communities can create resilient, environmentally-friendly cities for current and future generations to enjoy.

**REFERENCES**

- [1]. Li, Y., Davis, A. P., & Stolzenbach, K. D. (2018). Rain gardens: A critical review on research and practice. *Journal of Hydrology*, 558, 487-504.
- [2]. Mac Rae, D. J., & Scott, L. (2017). *Rain gardens in urban landscapes: Design, management, and environmental function*. CRC Press.
- [3]. Fletcher, T. D., Shuster, W., Hunt, W. F., Ashley, R., Butler, D., Arthur, S., ... & Barraud, S. (2019). SUDS, LID, BMPs, WSUD and more—The evolution and application of terminology surrounding urban drainage. *Urban Water Journal*, 16(7), 630-648.
- [4]. Smith, R. M., & Pitt, R. E. (2021). Bioswale design and performance: Findings from a two-year field monitoring study. *Journal of Sustainable Water in the Built Environment*, 7(1), 04020001.
- [5]. Galbraith, N. R., Martínez-Harms, M. J., Rodríguez, J. P., & Elmqvist, T. (2020). Urban ecosystem services and decision making for a green, blue, gray world. *Ecosystem Services*, 44, 101133.
- [6]. Pune Municipal Corporation. (n.d.). Stormwater Management - Aundh Baner Balewadi (ABB) Corridor. Retrieved from <https://www.pmc.gov.in/en/press-release/afforestation-and-creation-green-spaces>.
- [7]. Beattie, C., et al. (2019). "Integrating Green Infrastructure into Urban Planning." *Urban Water Journal*, 16(6), 445-457.
- [8]. Environmental Protection Agency (EPA). (2020). "Green Infrastructure Maintenance." Retrieved from <https://www.epa.gov/green-infrastructure/green-infrastructure-maintenance>.
- [9]. Roy, S., et al. (2017). "Soil Contamination and Remediation Strategies for Green Infrastructure: A Review." *Environmental Science and Pollution Research*, 24(12), 10729-10751.
- [10]. Smith, J., et al. (2020). "Sensor Based Monitoring Systems for Green Infrastructure: Current Status and Future Directions." *Water*, 12(8), 2097.
- [11]. U.S. Environmental Protection Agency (EPA). (2021). "Clean Water Act." Retrieved from <https://www.epa.gov/laws-regulations/summary-clean-water-act>.
- [12]. United Nations (UN). (2021). "Sustainable Development Goals." Retrieved from <https://sdgs.un.org/goals>