IJETIR

ISSN (Online) 2583-0554

Impact Factor: 5.731

International Journal of Emerging Technologies and Innovative Research (IJETIR)

Volume 5, Issue 12, December 2025

RAPID PASS: AI-Driven Traffic Control Architecture for Enhancing Emergency Response Efficiency

Dr. Chandramouli H, Kesavan M V, Arun Kumar S, Bharath M, Dr. Manimozhi I

Professor, Department of Computer Science and Engineering

Assistant Professor, Department of Computer Science and Engineering

East Point College of Engineering and Technology, Bangalore, India

hcmcool123@gmail.com, kesavan.mv@gmail.com, arun.kumar@eastpoint.ac.in

bharath.m@eastpoint.ac.in, drmanimozhi.i@eastpoint.ac.in

Abstract: *Traffic congestion in urban areas significantly affects emergency response times, posing potential risks to public safety. Conventional traffic management systems operate on fixed or semi-adaptive schedules, often failing to prioritize emergency vehicles. This project proposes an Internet of Things (IoT)-based smart traffic signal control system that dynamically modifies traffic signals to facilitate uninterrupted passage for emergency vehicles. The system integrates an ESP8266 Wi-Fi module, an Arduino Uno R3 microcontroller, and cloud-based GPS tracking to determine the proximity of emergency vehicles using the Haversine formula. By leveraging real-time data transmission, the system ensures that traffic signals transition from red to green when an emergency vehicle is within a predefined range, significantly reducing delays. Unlike traditional sensor-based or manual intervention methods, this solution is fully automated, cost- effective, and easily scalable. The project enhances urban mobility, minimizes response times for emergency services, and contributes to smart city infrastructure. Future enhancements include AI-driven traffic flow analysis, advanced authentication mechanisms, and multi-vehicle prioritization for improved efficiency.*

Keywords: Smart Traffic Control, Emergency Vehicle Prioritization, IoT-based Traffic Management, Real-time Signal Adjustment, GPS-based Vehicle Tracking,Cloud-integrated Traffic System, Automated Traffic Signal Control, Urban Mobility Optimization, AI-driven Traffic Flow Analysis, Wireless Communication for Traffic Control

I. INTRODUCTION

Rapid urbanization and the rise in the number of vehicles on the road have made traffic congestion a serious problem in contemporary cities. In addition to creating delays for regular travelers, this congestion significantly affects the time it takes for police cars, fire engines, and ambulances to respond to emergencies. Even a few minutes of delay can be the difference between life and death in life-threatening conditions. Conventional traffic management systems frequently fail to prioritize emergency vehicles in real time because they rely on semi-adaptive controls or set schedules. This makes it extremely difficult for emergency responders to get to their destinations in a timely and effective manner.

An Internet of Things (IoT)-based smart traffic light control system that prioritizes emergency vehicles is presented in this study as a solution to these problems. The suggested solution makes use of an ESP8266 Wi-Fi module, an Arduino Uno R3 microcontroller, and a cloud-based GPS tracking system to dynamically modify traffic signals in response to emergency vehicles' current locations. When an emergency vehicle approaches an intersection, the system makes sure that the traffic lights go from red to green smoothly by utilizing the Haversine formula to determine the distance between the vehicle and the signal. Response times are greatly shortened by this automation, which also removes the need for physical intervention.

This system's major goal is to improve public safety by reducing emergency service delays while preserving traffic efficiency. The suggested system uses cloud computing and real-time GPS data to produce an intelligent and scalable traffic management solution, in contrast to current methods that rely on manual traffic control, fixed-timer signals, or expensive RFID-based systems. To further increase traffic efficiency, future improvements might incorporate predictive analytics, AI-driven traffic flow optimization, and interaction with smart city infrastructure. Cities may guarantee safer and quicker transportation for emergency responders by putting this IoT-based traffic control system into place, thereby saving lives and lowering the risks associated with traffic.

II. LITERATURE REVIEW

In [1], the authors proposed an IoT-based Smart GPS and Traffic Signal Optimization System for Ambulances, aiming to improve ambulance response times by dynamically adjusting traffic signals using real-time GPS data. The system utilizes IoT-enabled sensors at traffic control boxes, allowing emergency vehicles to anticipate signal changes. However, a major limitation of this system is its reliance on extensive IoT infrastructure, which may not be feasible in areas with outdated traffic systems. Additionally, the need for stable internet connectivity poses challenges, as network failures could disrupt the functionality of real-time traffic signal modifications. The high cost of deployment, including IoT device installation and integration with existing frameworks like SCOOT or SCATS, further limits widespread adoption.

In [2], the authors introduced A Smart Priority-Based Traffic Control System for Emergency Vehicles, which assigns priority to emergency vehicles based on the severity of incidents while minimizing disruption to regular traffic. Unlike traditional RFID-based solutions, this system dynamically adjusts traffic signals using a priority algorithm. However, the system faces challenges in real-world implementation due to its reliance on real-time traffic data, which may not always be available. Additionally, integrating the system with existing traffic management frameworks like SCATS or SCOOT can be complex and costly. It also does not account for unpredictable traffic conditions or non- compliant drivers, which could impact the system's effectiveness.

In [3], the authors presented an IoT-Based Traffic Management System for Emergency Vehicles, which uses a cloud-connected IoT framework to manage traffic signals and ensure smooth passage for emergency responders. The system prioritizes emergency vehicles by integrating real- time GPS tracking with traffic control units. However, a major limitation is its dependence on cloud infrastructure, which requires constant internet connectivity. Additionally, the system does not consider multiple simultaneous emergencies, which could lead to conflicts in signal priority. The reliance on IoT devices also makes the system expensive to implement on a large scale.

In [4], the authors proposed IoT-Based Emergency Vehicle Services Using UAVs, introducing a system where Unmanned Aerial Vehicles (UAVs) monitor traffic congestion and adjust signals accordingly. The UAVs provide real-time traffic data, ensuring emergency vehicles receive priority at intersections. While this approach significantly improves response times, it has notable limitations, including the high cost of drone deployment, legal restrictions on UAV operation in urban areas, and potential safety concerns when flying drones in crowded cities. Furthermore, maintaining UAVs requires trained personnel and sophisticated technology, increasing the system's overall complexity and cost.

In [5], the authors introduced EMVLight: A Multi-Agent Reinforcement Learning Framework for Emergency Vehicle Routing, which optimizes emergency vehicle routing using artificial intelligence. The system employs reinforcement learning to analyze traffic conditions and adjust traffic signals dynamically. While this method enhances emergency response times, it has significant drawbacks, such as the high computational power required to train AI models and the complexity of integrating machine learning algorithms into existing traffic systems. Additionally, unpredictable real-world factors, such as sudden road closures or driver non-compliance, may reduce the effectiveness of AI-driven traffic management.

III. OVERVIEW OF RAPID PASS: TRAFFIC MANAGEMENT FOR EMERGENCY SERVICES

The RAPID PASS project is an IoT-based smart traffic management system designed to prioritize emergency vehicles and reduce response times in urban traffic. It integrates real-time GPS tracking, cloud computing, and automated traffic signal control using Arduino Uno R3, ESP8266 Wi-Fi module, and Arduino IoT Cloud. The system dynamically adjusts traffic signals by calculating the emergency vehicle's proximity using the Haversine formula, ensuring an uninterrupted passage by switching the signal from red to green. Unlike traditional traffic control methods such as fixed-timer signals, manual intervention, or costly RFID-based systems, RAPID PASS provides an automated, scalable, and cost-effective solution that can be integrated into smart city infrastructure. While the system improves emergency response efficiency, future enhancements could address network dependency, security, and multi-vehicle prioritization through AI-driven traffic prediction and blockchain-based authentication. By minimizing delays and optimizing urban mobility, RAPID PASS significantly enhances public safety and emergency response systems.

IV. TOOLS USED FOR RAPID PASS: TRAFFIC MANAGEMENT FOR EMERGENCY SERVICES

The RAPID PASS system utilizes a combination of hardware, software, and cloud-based tools to ensure efficient and automated traffic signal control for emergency vehicles. These tools enable real-time decision-making, seamless data communication, and secure operations. Below is a detailed overview of the key tools used in the project:

1. Hardware Components

• Arduino Uno R3 – Serves as the primary microcontroller responsible for processing data and executing control logic for traffic signal management. It acts as the central processing unit of the system.
• ESP8266 Wi-Fi Module – Provides wireless communication capabilities, allowing the system to send and receive real-time data between cloud servers and hardware components.
• GPS Module (Mobile-Based Tracking) – Acquires real-time geographic coordinates of emergency vehicles, enabling accurate distance calculations and timely signal adjustments.
• LED Indicators & Traffic Light System – Simulates real-world traffic signals by visually displaying changes in traffic light states based on emergency vehicle proximity.
• Breadboard & Jumper Wires – Essential for prototyping and creating connections between microcontrollers, sensors, and external components before final system implementation.

2. Software Tools

• Arduino IDE – An integrated development environment used to write, compile, and upload firmware code to the Arduino board, ensuring system responsiveness.
• Python (for Data Processing & API Integration) – Facilitates real-time processing of location data, cloud-server communication, and API-based system integration.
• Google Maps API – Enables GPS tracking and visualization of emergency vehicle movement, assisting in optimizing traffic signal transitions.
• Android Studio – Serves as the development environment for the mobile application that transmits emergency vehicle status and location data to the cloud, providing a user-friendly interface for emergency responders.

3. Cloud and Networking Tools

• Arduino IoT Cloud – Stores, manages, and synchronizes real-time traffic and emergency vehicle GPS data, ensuring seamless control of the traffic management system.
• MQTT Protocol (Message Queuing Telemetry Transport) – A lightweight messaging protocol used for efficient real-time communication between the cloud and hardware components, optimizing bandwidth usage.
• Wi-Fi Connectivity – Enables real-time, wireless communication between system components, allowing dynamic traffic control decisions based on emergency vehicle movements.

4. Security and Testing Tools

• SSL/TLS Encryption – Ensures secure data transmission by encrypting communication between cloud servers, mobile applications, and microcontrollers, preventing unauthorized access or tampering.
• Fritzing & Proteus – Circuit design and simulation tools used to visualize, test, and validate the functionality of electronic components before deployment.

IJETIR
ISSN (Online) 2583-0554
International Journal of Emerging Technologies and Innovative Research (IJETIR)
Impact Factor: 5.731
Volume 5, Issue 12, December 2025

• Unit and Integration Testing Frameworks – Employed to verify the proper functionality of hardware-software interactions, ensuring system reliability and performance under real-world conditions.

V. SYSTEM DESIGN FOR RAPID PASS: TRAFFIC MANAGEMENT FOR EMERGENCY SERVICES



Fig. 1. System Architecture for RAPID PASS: Traffic Management for Emergency Services

1. Start of the System InitializationThe tracking mechanism is started by an emergency vehicle subsystem at the start of the procedure.
2. Then normalize the frames using the Gaussian blur algorithm to remove the noise in the frame and further extract the human face features from the frame using Haar Cascade feature selection.
3. Processing Data in the CloudA Firebase Realtime Database, which serves as the cloud storage system for speedy data retrieval, receives the location data.The traffic control unit's ESP8266 Wi-Fi module retrieves the information from Firebase.
4. Traffic Control Using MicrocontrollersAfter processing the data it has obtained, the Arduino Uno R3 decides if the emergency vehicle is within a predetermined threshold distance of a traffic signal.
5. Modification of Traffic SignalsThe Arduino Uno R3 instructs the Traffic Light Control Unit to change the signal from red to green so that the emergency vehicle can pass immediately if it is within range.The technology returns the signal to its initial condition when the emergency vehicle has passed the intersection.
6. The Process's EndEvery time an emergency vehicle approaches, the procedure is dynamically repeated, guaranteeing automatic and real-time traffic control.

VI. ADVANTAGES OF RAPID PASS: TRAFFIC MANAGEMENT FOR EMERGENCY SERVICES

1. The RAPID PASS system significantly reduces emergency response times by automatically switching traffic signals to green for approaching emergency vehicles. Real-time detection of significant movements like eye blinking or lip movement ensures timely alerts.
2. It eliminates the need for manual traffic control, ensuring real-time and automated signal adjustments based on GPS tracking. Integration of cloud services enables remote monitoring, allowing medical professionals to access patient data from any location.
3. By prioritizing emergency vehicles, the system reduces congestion and prevents traffic bottlenecks, improving overall urban mobility..
4. The IoT-based architecture using Arduino Uno, ESP8266 Wi-Fi, and Firebase enables seamless cloud- based communication for quick decision- making. Database functionality ensures accurate storage and retrieval of patient activity for further analysis.
5. Unlike RFID-based solutions that require expensive infrastructure, RAPID PASS is cost-effective, scalable, and easy to implement in smart cities. Predictive analytics can anticipate potential health risks, enabling proactive interventions.
6. The system uses SSL/TLS encryption to secure data transmission, preventing unauthorized access and cyber threats.

VII. CHALLENGES OF RAPID PASS: TRAFFIC MANAGEMENT FOR EMERGENCY SERVICES

1. The system relies on stable Wi-Fi or cellular connectivity, and any network disruption can delay real- time signal updates, affecting emergency response times..

2. GPS accuracy limitations in urban areas with high-rise buildings or tunnel roads may impact precise vehicle tracking and signal adjustments.
3. Integration with existing traffic infrastructure can be complex and may require additional modifications to traditional traffic light systems.
4. The system security needs to be robust to prevent unauthorized access or hacking attempts, which could lead to signal manipulation and traffic disruptions.
5. Multiple emergency vehicle coordination at different intersections remains a challenge, requiring advanced AI-based traffic prediction for better management
6. The cost of deploying IoT sensors and cloud services at a city-wide scale may be high, limiting its immediate large-scale implementation.
7. Power failures or hardware malfunctions in the Arduino Uno, ESP8266, or traffic light units could cause system breakdowns, requiring redundancy solutions.
8. Data privacy concerns arise due to cloud-based GPS tracking, necessitating strong encryption and access control to protect sensitive emergency vehicle data..
9. The system may face legal and regulatory challenges, as modifying traffic signals for emergency vehicles must comply with government traffic policies.
10. Public and driver awareness is crucial for the system's success, requiring proper training and adaptation for emergency responders and traffic authorities.

VIII. CONCLUSION AND FUTURE WORK

The RAPID PASS: Traffic Management for Emergency Services system presents a smart and automated solution for optimizing emergency vehicle movement in urban areas. By utilizing IoT-based traffic signal control, the system ensures real-time prioritization of ambulances, fire trucks, and police vehicles, significantly reducing response times and traffic congestion. The integration of Arduino Uno, ESP8266 Wi-Fi module, and GPS tracking enables seamless data exchange and dynamic traffic light adjustments, making it a cost-effective, scalable, and practical solution. Unlike traditional fixed-timer signals, manual intervention, or RFID-based approaches, RAPID PASS provides a fully automated and cloud-integrated method to enhance urban traffic efficiency.

Despite its advantages, the system faces certain challenges, including network dependency, GPS accuracy issues, and security concerns. Ensuring stable Wi-Fi connectivity, enhancing encryption protocols, and integrating AI-driven traffic prediction will be crucial for improving its efficiency. Additionally, the large-scale implementation of RAPID PASS requires collaboration with government authorities and urban planners to ensure smooth policy integration and compliance with existing traffic infrastructure.

For future enhancements, the system can be upgraded by incorporating AI-based traffic analysis to predict and manage multiple emergency vehicles at different intersections. The use of 5G networks can improve real- time data transmission, ensuring minimal delays in traffic signal updates. Furthermore, edge computing can be introduced to reduce cloud dependency by processing data locally, making the system more reliable and responsive. Strengthening cybersecurity measures, such as advanced encryption and authentication protocols, will help mitigate potential risks of unauthorized access and data breaches.

REFERENCES

[1] S. V. Bhate, P. V. Kulkarni, S. D. Lagad, M. D. Shinde and S. Patil, "IoT based Intelligent Traffic Signal System for Emergency vehicles," 2018 Second International Conference on Inventive Communication and Computational Technologies (ICICCT), Coimbatore, India, 2018, pp. 788-793, doi: 10.1109/ICICCT.2018.8473210.
[2] C. H. Genitha, S. A. Danny, A. S. Hepsi Ajibah, S. Aravint and A. A. V. Sweety, "AI based Real-Time Traffic Signal Control System using Machine Learning," 2023 4th International Conference on Electronics and Sustainable Communication Systems (ICESC), Coimbatore, India, 2023

ISSN (Online) 2583-0554

International Journal of Emerging Technologies and Innovative Research (IJETIR)

Impact Factor: 5.731

Volume 5, Issue 12, December 2025

[3] J. N. V. R. Swarup Kumar, M. N. Vamsi Thalatam, I. S. Siva Rao, P. K. Ram, M. Vignesh and P. Manoj, "A Real-Time V2I-based Emergency Vehicle Traffic Signals Management System (EVTMS)," 2023 14th International Conference on Computing Communication and Networking Technologies (ICCCNT), Delhi, India, 2023

[4] S. S. R and L. Rajendran, "Real-Time Adaptive Traffic Control System For Smart Cities," 2021 International Conference on Computer Communication and Informatics (ICCCI), Coimbatore, India, 2021

[5] P. N, K. Rajesh, P. S, T. G. Kulkarni, S. C and V. M, "IoT Based Autonomous Emergency Vehicle Traffic Management System," 2024 International Conference on Knowledge Engineering and Communication Systems (ICKECS), Chikkaballapur, India, 2024

[6] S. Vamsi, K. Divya, P. Abhinav, K. Srinivas , Dr S. Ram Prasad Reddi , "Smart Traffic Management System for clearance of emergency vehicles using IOT"